


MOTIVATING & ELEVATING YOUR HOPE



PT. Motif Teknologi Nusantara

Ruko CBD Palm Ext. II Blok C1 No. 57
Kalideres - Jakarta Barat
Indonesia 11830 (Jakarta)
(021) 3876 4281

✉ sales@motive.co.id

📞 0822 2000 6059

🌐 www.motive.co.id

📷 motive.co.id

📘 motive technology
nusantara

🎵 motive.co.id



PRODUCT CATALOG
LIFT FOR HOME




Platform Lift

Pilihan terbaik untuk solusi pemasangan lift di area sempit. Lift beserta struktur frame aluminium dengan panel kaca telah memberikan kesan elegan dalam desain panoramik di rumah anda.


Specifications :

Drive system :	Steel belt with PM synchronous motor		
Travelling height :	Max. 15000 mm	Speed :	0,3 m / sec
Overhead height :	Min. 2800 mm	Platform floor :	PVC - Black
Power consumption :	1100 Watt		
Number of door per floor :	Max. 3 doors per floor		
Number of stop :	5 stops		
Pit :	100 mm (no pit is required when there is a ramp)		
Type of door opening :	Manual or automatic swing door		
Door material :	Aluminum alloy + glass		
Glass panel :	10 mm tempered and laminated glass		
Celling :	Mirror stainless steel, LED lighting		
Installation :	Indoor & outdoor		

ELEGANCE DESIGN



Platform size : 1150 x 700 mm
Installation size : 1170 x 1230 mm
Max. Load : 400 kg / 4-5 people



Platform size : 1200 x 1000 mm
Installation size : 1272 x 1572 mm
Max. Load : 400 kg / 4-5 people

Customized Design for Platform Lift

Rear wall



MT-HB-019 Standard



MT-HB-006 Optional



MT-HB-020
Optional with cabin

Landing door



MT-CM-004
Standard



MT-CM-021
Optional

COP



MT-CZ-017 Standard

LOP



MT-WH-001
Standard



MT-WH-029
Standard

Shaft color



White light



Titanium gold



Rose gold



Champagne gold



Dark grey



Matte black




PLATFORM LIFT - ALPHA


Panoramik lift dengan struktur aluminium dan panel kaca beserta tambahan mode stylish dan modern pada sentuhan interior lift.

Specifications :

Drive system :	Steel belt with PM synchronous motor		
Travelling height :	Max. 15000 mm	Speed :	0,3 m / sec
Overhead height :	Min. 2800 mm	Platform floor :	PVC - Black
Power consumption :	1100 Watt		
Number of door per floor :	Max. 3 doors per floor		
Number of stop :	5 stops		
Pit :	100 mm (no pit is required when there is a ramp)		
Type of door opening :	Manual or automatic swing door		
Door material :	Aluminum alloy + glass		
Glass panel :	10 mm tempered and laminated glass		
Celling :	Mirror stainless steel, LED lighting		
Installation :	Indoor & outdoor		



Platform size : 1150 x 700 mm
Installation size : 1170 x 1230 mm
Max. Load : 400 kg / 4-5 people



Platform size : 1200 x 1000 mm
Installation size : 1272 x 1572 mm
Max. Load : 400 kg / 4-5 people

Customized Design for PLATFORM LIFT - ALPHA

Rear wall



MT-HB-017 Standard




MT-HB-018 Optional



MT-HB-019 Optional

Celling



MT-DD-022 Standard



MT-DD-023 Optional



MT-DD-024 Optional


Floor cover



MT-DB-024
Optional



MT-DB-025
Optional



MT-DB-026
Optional



MT-DB-027
Optional

Landing door



MT-CM-004
Standard



MT-CM-021
Optional

LOP



MT-WH-016



MT-WH-017

COP



MT-CZ-021
Standard

Alumunium alloy shaft color



White light



Matte black



Rose gold



Titanium gold



Champagne gold



Dark grey




Homelift

Sentuhan stainless steel dengan mode luxurious pada interior cabin menjadi solusi lift paling tepat bagi ruang luncur/shaft lift yang tersedia di rumah anda.


Specifications :

Drive system :	Steel belt with PM synchronous motor		
Travelling height :	Max. 15000 mm	Speed :	0,4 m / sec
Overhead height :	Min. 3800 mm	Cabin floor :	PVC
Power consumption :	1200 Watt		
Number of door per floor :	Max. 3 doors per floor		
Number of stop :	6 stops		
Pit :	300 mm		
Type of door opening :	automatic sliding door or manual swing door		
Door material :	Aluminum alloy + glass (customized)		
Cabin material :	Stainless steel		
Celling :	Stainless steel, LED lighting		
Installation :	Indoor & outdoor		

LUXURY DESIGN






Inside cabin size : 1050 x 1200 mm
Installation size : 1550 x 1550 mm
Max. Load : 400 kg / 4-5 people



Inside cabin size : customized
Installation size : customized
Max. Load : customized

Customized Design for Homelift



Certificate: CE, GOST, EAC, SONCAP, ISO9001, ISO14001, HSAS1800.
Design Standard: GB7588-2003 and suitable for international standard EN81.

